

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUINN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: HTTP://WWW.WNLAW.COM

PATENT
Docket No. 7678.861

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Kanca

Serial No.: 10/813,306

Filed: Mar. 30, 2004

For: BALL LENS FOR USE WITH A DENTAL
CURING LIGHT

Examiner: Cary E. O'Conner

Patent No.: 7,074,040

Issue Date: Jul. 11, 2006

Art Unit
3732

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

Certificate
APR 12 2007
of Correction

R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.
WILLIAM R. RICHTER
ROBERT E. AYCOCK
JENS C. JENKINS
MICHAEL B. DODD
BRETT A. HANSEN
BRETT I. JOHNSON
KEVIN W. STINGER
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
RYAN N. FARR
JAMES B. BELSHE
KIRK R. HARRIS
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, PH.D.
SCOTT A. WOODBURY
JOHN T. GADD
MARK W. FORD
COLBY C. NUTTALL
AARON M. SMITH
F. CHAD COPIER
KULANIAKEA FISHER
THOMAS M. BONACCI
PAUL G. JOHNSON
AMBER B. LEAVITT
JEFFERY M. LILLYWHITE
HEATHER MANWARING

04/10/2007 BABRAH1 00000046 7074040
VERNON R. RICE
OF COUNSEL
01 FC:1811


100.00 OF

APR 12 2007

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 27th day of March, 2007.

Respectfully submitted,



Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:slw
Docket No. 7678.861
PR0000002062V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 5th day of April, 2007.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 151726 for \$100.00

APR 12 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,074,040

DATED : Jul. 11, 2006

INVENTOR(S) : Kanca

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 34, before "disposed" remove [a]

Column 7

Line 18, after "light guide" remove [distal]

Column 8

Line 22, after "light guide" remove [distal to the connector body]

Line 62, after "4mm" change " : " to --.--

MAILING ADDRESS OF SENDER (Please do not use customer number

Rick D. Nydegger, Esq.
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,074,040

No. of additional copies



APR 12 2007